Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(device or node or terminal) same port same connect and "370".ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/31 19:28
L2	109933	"370"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/31 19:28
L3	20582	(device or node or terminal) same port same connect	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/31 19:29
L4	2221	2 and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/31 19:30
L5	13507	(device or node or terminal) same (port with connect)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/31 19:32
L6	1162	2 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/31 19:30
L7	28061444	(@pd<"20030131" @rlad<"20030131")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/31 19:32
L8	654	6 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/31 19:32
L9	9405	(device or node or terminal) with (port with connect)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/31 19:32

	1		1		1	
L10	424	9 and 7 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/31 20:09
L11	356	10 and switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/31 20:15
L12	57	10 and (network adj switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/31 20:15
S1	13	((NAOYUKI) near2 (NAGAO)).INV.	US-PGPUB; USPAT	OR	OFF	2007/08/17 18:17
S2	27	((NAOYUKI) near2 (NAGAO)).INV.	EPO; JPO; DERWENT	OR	OFF	2007/08/17 18:31
S3	4499	(console\$1 adj switch\$1) or (remote adj management) or (telnet adj host) or (console adj server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 14:35
S4	142	S3 and (mac adj address) and (ip adj address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/18 14:20
S5	83	S4 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/18 14:20
S6	38	S3 and (plurality adj ports)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/18 15:35
S7	667	(console adj switch)or (telnet adj host) or (console adj server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/20 14:49
S8	345	console adj switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/20 13:45

S9	345	console adj switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/20 14:46
S10	3	S9 and 709/223,224,227-228,245. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/20 17:04
S11	15	telnet adj host	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/20 14:47
S12	3	S10 and 709/223,224,227-228,245. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/20 14:49
S13	308	console adj server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/20 14:49
S14	53	S13 and 709/223,224,227-228,245. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/22 10:59
S15	4501	(console\$1 adj switch\$1) or (remote adj management) or (telnet adj host) or (console adj server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/20 17:04
S16	454	S15 and 709/223,224,227-228,245. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 07:35
S17	4506	(console\$1 adj switch\$1) or (remote adj management) or (telnet adj host) or (console adj server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 07:35
S18	228	S17 and telnet and terminal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 07:35

				·		
S19	63	S18 and 709/223,224,227-228,245. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 16:10
S20	0	("2006/0242271").URPN.	USPAT	OR	OFF	2007/08/21 08:39
S21	0	("2007/0038739").URPN.	USPAT	OR	OFF	2007/08/21 08:54
S22	0	("2007/0033529").URPN.	USPAT	OR	OFF	2007/08/21 09:45
S23	0	("2006/0242401").URPN.	USPAT	OR	OFF	2007/08/21 09:48
S24	321	console adj server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 11:37
S25	54	S24 and 709/223,224,227-228,245. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 11:51
S26	118	terminal adj concentrator\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 11:50
S27	4	S26 and 709/223,224,227-228,245. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 13:04
S28	683	switch adj over adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 13:04
S29	1	S28 and 709/223,224,227-228,245. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/23 13:37
S30	51	server adj switch\$3 adj device\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 13:08
S31	4	S30 and 709/223,224,227-228,245. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 13:08

	I			1		T
S32	1106	serial adj controller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 13:26
S33	41	S32 and 709/223,224,227-228,245. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 13:27
S34	16472	access adj server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 13:26
S35	1340	S34 and 709/223,224,227-228,245. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 14:36
S36	60	console\$1 adj manager	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 14:35
S37	7	S36 and 709/223,224,227-228,245. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 15:51
S38	26	lantronix.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 16:06
S39	15	perle.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 16:08
S40	8249	cisco.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2007/08/23 17:14
S41	3054	S40 and switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 16:09

	i		T	1		Τ
S42	248	S41 and (plurality adj port\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 16:10
S43	30	S42 and 709/223,224,227-228,245. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/22 15:50
S44	860	(switch or router or (network adj appliance\$1)) and ((group or plurality) adj client\$1) and (proxy\$3) and (node\$1 or terminal\$1 or client\$1) and (server\$1 endpoint\$1 (information adj processing adj device\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/22 16:18
S45	190	S44 and 709/223,224,227-228,245. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/22 09:16
S46	123	S45 and ip and port and (id or identif\$8 or address\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/22 09:18
S47	118	S46 and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/22 10:43
S48	95638	(ethernet or managed adj switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/22 10:44
S49	46700	S48 and (plurality adj terminals or nodes or clients or servers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/22 10:51
S50	776	S49 and (selectively adj (rout\$4 or connect\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/22 10:52

			T	T		1
S51	68	S50 and ip and telnet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/22 10:53
S52	5761	S48 and (plurality adj (terminals or nodes or clients or servers))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/22 10:58
S53	136	S52 and (selectively adj (rout\$4 or connect\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/22 10:57
S54	32	S53 and ip and telnet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/22 10:53
S55	229328	(selectively with (rout\$4 or connect\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/22 10:57
S56	4930	telnet and ip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/22 10:59
S57	264	S55 and S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/22 10:59
S58	63	S57 and 709/223,224,227-228,245. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/22 16:10
S59	2	("5287461").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/22 15:22
S60	8249	cisco.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/22 15:50

	I			T	1	<u> </u>
S61	3054	S60 and switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/22 15:50
S62	248	S61 and (plurality adj port\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/22 15:50
S63	25	S62 and 370/392.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/23 13:28
S64	11	S57 and 370/392.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/22 16:18
S65	15	S44 and 370/392.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/22 16:19
S66	25	"169399"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/22 17:22
S67	968	Remot\$3 near3 Access\$3 near3 Manag\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/23 10:14
S68	896	S67 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/23 10:14
S69	222	S68 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/23 10:15
S70	9317	single and point and access and console and port\$1 and devices	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/23 13:27

,	· · · · · · · · · · · · · · · · · · ·	)=	· · · · · · · · · · · · · · · · · · ·	T	·	
S71	37	S70 and 370/392.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/23 13:28
S72	589	S70 and 709/223,224,227-228,245. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/23 13:56
S73	30	(console adj access adj server) or (console adj management adj server) or (serial adj console adj server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/23 13:58
S74	1947321	switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/23 17:06
S75	1208	fabric adj switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/23 17:07
S76	109	(fabric adj switch).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/23 17:07
S77	33	(fabric adj switch).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/23 17:07
S78	8259	cisco.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/23 17:14
S79	3063	S78 and switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/23 17:14
S80	102	S79 and telnet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/23 17:51

	τ	Turner		·r	1	
S81	1274	manag\$6 near2 rout\$3 near2 (table\$1 or database or repository)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/23 17:57
S82	19844	(socket or port) with (path or connect\$4)with (creat\$3 or establish\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/23 17:55
S83	11522	709/223-224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/23 17:55
S84	5586	709/227-228.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/27 08:17
S85	746	S83 and S84	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/23 17:56
S86	0	S85 and S82 and S81	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/23 17:56
S87	6	S85 and S81	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/23 17:56
S88	637	((smart or intelligent) near3(switch or router\$1 or gateway\$1)) same (table\$1 or database or repository)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/23 17:59
S89	9	S88 and S82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/23 17:59
S90	996	obtain\$3 near3 (port or socket) near2 (data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/23 18:00

					,	
S91	1	S90 and S84 and S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/23 18:00
S92	15011	(rout\$3 near table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/27 08:16
S93	5034	S92 and ip and port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/27 08:16
S94	2025	S93 and mac	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/27 08:16
S95	76	S94 and 709/227-228.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/27 09:56
S96	66	discover\$1 same ip same mac same table same rout\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/27 09:55
S99	1083	(discover\$3 or calculat\$4) with (rout\$4 near table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/27 10:17
S10 0	24	S99 and 709/227-228.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/27 10:17
S10 1	1954	switch with (rout\$4 near table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/27 10:40
S10 2	23	S101 and 709/227-228.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/27 10:17

S10 3	385	switch same (rout\$4 near table\$1). ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/27 14:07
S10 4	45	multi near port near bridge.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/27 14:25
S10 5	22	(US-20030018770-\$ or US-20030172145-\$ or US-20020194497-\$ or US-20020161874-\$ or US-20020161873-\$ or US-20040044771-\$ or US-20050213560-\$ or US-20050207414-\$ or US-20040160954-\$ or US-20040160954-\$ or US-20040071134-\$ or US-20040071134-\$ or US-20040052040-\$ or US-20040249975-\$).did. or (US-7013334-\$ or US-6816897-\$ or US-6857005-\$ or US-6950932-\$ or US-6970913-\$ or US-6947415-\$). did.	US-PGPUB; USPAT	OR	OFF	2007/08/27 14:38
S10 6	3	S105 and cascade	US-PGPUB; USPAT	OR	OFF	2007/08/27 15:38
S10 7	2	("6917626").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/27 15:39

8/31/2007 9:15:45 PM C:\Documents and Settings\smirzadegan\My Documents\EAST\Workspaces\10763162.wsp

S10	22	(US-20030018770-\$ or	US-PGPUB;	OR	OFF	2007/08/28 07:57
8		ÙS-20030172145-\$ or	USPAT		]	
		US-20020194497-\$ or	ļ	ľ		
		US-20020161874-\$ or		ŀ	<u> </u>	
		US-20020161873-\$ or				
		US-20040044771-\$ or				
		US-20050213560-\$ or				
		US-20050207414-\$ or				
		US-20040160954-\$ or				
		US-20040146056-\$ or				
		US-20040071134-\$ or	]	1		
		US-20040052040-\$ or				
		US-20030154306-\$ or				
		US-20040249975-\$).did. or				
		(US-7013334-\$ or US-6816897-\$ or				
		US-6857005-\$ or US-6505245-\$ or				
		US-6970913-\$ or US-6950932-\$ or		1		
		US-6717913-\$ or US-6947415-\$). did.		1		
		dia.				
S10	8	S108 and text	US-PGPUB;	OR	OFF	2007/08/28 08:44
9			USPAT;			
			EPO; JPO;			•
			DERWENT;			
			IBM_TDB			
S11	14	S108 and memory	US-PGPUB;	OR	OFF	2007/08/28 08:44
0	- ·		USPAT;			
			EPO; JPO;			
			DERWENT;			
			IBM_TDB	ļ		

8/31/2007 9:15:45 PM
C:\Documents and Settings\smirzadegan\My Documents\EAST\Workspaces\10763162.wsp